

## Message

**From:** Crowley Engineering [crowley@eastchicago.com]  
**Sent:** 4/27/2017 1:25:31 PM  
**To:** Hollingsworth, Mary [MHolling@idem.IN.gov]; Korleski, Christopher [korleski.christopher@epa.gov]; Abdul Zehraoui [azehraoui@eastchicago.com]  
**CC:** CLARK METTLER, MARTHA [MCLARK@idem.IN.gov]; Henry, Timothy [henry.timothy@epa.gov]; Poy, Thomas [poy.thomas@epa.gov]  
**Subject:** RE: Letter to East Chicago and IDEM Offering to Meet

I'm also available to meet on Monday, Tuesday, or Wednesday next week.

Thanks,  
 Greg Crowley, P.E.

---

**From:** Hollingsworth, Mary [MHolling@idem.IN.gov]  
**Sent:** Thursday, April 27, 2017 7:44 AM  
**To:** Korleski, Christopher; Abdul Zehraoui  
**Cc:** CLARK METTLER, MARTHA; Crowley Engineering; Henry, Timothy; Poy, Thomas  
**Subject:** RE: Letter to East Chicago and IDEM Offering to Meet

Monday, Tuesday or Wednesday of next week will work for me.

Mary E. Hollingsworth  
 Drinking Water Branch Chief  
 Office of Water Quality  
 Indiana Department of Environmental Management  
 IGCN 1201  
 100 North Senate Avenue  
 Indianapolis, IN 46204-2251  
 317-232-8741

---

**From:** Korleski, Christopher [mailto:korleski.christopher@epa.gov]  
**Sent:** Wednesday, April 26, 2017 11:01 AM  
**To:** Hollingsworth, Mary; azehraoui@eastchicago.com  
**Cc:** CLARK METTLER, MARTHA; 'Crowley Engineering'; Henry, Timothy; Poy, Thomas; Korleski, Christopher  
**Subject:** Letter to East Chicago and IDEM Offering to Meet

\*\*\*\* This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. \*\*\*\*

---

Hello Abdul and Mary:

Attached please find a letter from me proposing a meeting to discuss drinking water issues in the City and the provision of requested technical support.

Thank you for your attention to this matter.

Sincerely,

Chris

---

Chris Korleski  
Director, Water Division, Region 5  
U.S. Environmental Protection Agency  
77 W. Jackson Blvd. (W-15J)  
Chicago, IL 60604  
312 886-1432 (Liz Rosado, Assistant)  
312 353-5498 (General Office Number)  
[korleski.christopher@epa.gov](mailto:korleski.christopher@epa.gov)

**Disclaimer**

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**, an innovator in Software as a Service (SaaS) for business. Providing a **safer** and **more useful** place for your human generated data. Specializing in; Security, archiving and compliance. To find out more [Click Here](#).